



Let's say it's 6.15pm and you're driving home (alone of course) after an unusually hard day on the job. You're really tired, and frustrated.....




YOU ARE REALLY STRESSED AND
UPSET ...






Suddenly you start experiencing **severe pain** in your chest that starts to radiate out into your arm and up into your jaw. You are only five miles from the hospital nearest your home. Unfortunately you don't know if you'll be able to make it that far

WHAT TO DO ???




**YOU HAVE BEEN TRAINED IN
CPR, BUT THE GUY THAT
CONDUCTED THE COURSE DID
NOT TELL YOU HOW TO
PERFORM IT ON YOURSELF !!!**




HOW TO SURVIVE A HEART ATTACK WHEN ALONE?

SINCE MANY PEOPLE ARE ALONE WHEN THEY
SUFFER A HEART ATTACK, WITHOUT HELP, THE
PERSON WHOSE HEART IS BEATING
IMPROPERLY AND WHO BEGINS TO FEEL FAINT,
HAS ONLY ABOUT 10 SECONDS LEFT BEFORE
LOSING CONSCIOUS



WHAT TO DO ??




ANSWER:

DO NOT PANIC, BUT START COUGHING REPEATEDLY AND VERY VIGOROUSLY.

A DEEP BREATH SHOULD BE TAKEN BEFORE EACH COUGH, THE COUGH MUST BE DEEP AND PROLONGED, AS WHEN PRODUCING SPUTUM FROM DEEP INSIDE THE CHEST.

A BREATH AND A COUGH MUST BE REPEATED ABOUT EVERY TWO SECONDS WITHOUT LET-UP UNTIL HELP ARRIVES, OR UNTIL THE HEART IS FELT TO BE BEATING NORMALLY AGAIN.

DEEP BREATHS GET **OXYGEN** INTO THE LUNGS AND COUGHING MOVEMENTS SQUEEZE THE HEART AND KEEP THE BLOOD **CIRCULATING**. THE SQUEEZING PRESSURE ON THE HEART ALSO HELPS IT REGAIN NORMAL RHYTHM. IN THIS WAY, HEART ATTACK VICTIMS CAN GET TO A HOSPITAL



ARTICLE PUBLISHED ON N.° 240 OF JOURNAL OF GENERAL
HOSPITAL ROCHESTER

**TELL AS MANY OTHER PEOPLE AS POSSIBLE
ABOUT THIS.**

**IT COULD SAVE THEIR LIVES !!! DON'T EVER
THINK THAT YOU ARE NOT PRONE TO HEART
ATTACK AS YOUR AGE IS LESS THAN 25 OR
30. NOWADAYS DUE TO THE CHANGE IN THE
LIFE STYLE, HEARTATTACK IS FOUND AMONG
PEOPLE OF ALL AGE GROUPS.**

**BE A FRIEND AND PLEASE SEND THIS
ARTICLE TO AS MANY FRIENDS AS
POSSIBLE**

